



## Riesgos de no amamantar

### Para lactantes

Alimentar a su bebé con un biberón de leche maternizada para lactantes puede parecer un acto sin consecuencias. Sin embargo, las tiene. Existen algunos inconvenientes que se presentan cuando se alimenta con biberón, los cuales se incrementan en la medida en que más se alimenta al bebé con leche maternizada. Antes de tomar una decisión, considere los siguientes aspectos. Si tiene preguntas, consulte a su médico, enfermera o especialista en lactancia para obtener información detallada.

#### Mayor riesgo de lo siguiente:

- ✓ Infecciones (pulmón y tracto gastrointestinal)
- ✓ Obesidad infantil
- ✓ Diabetes tipo 1 y tipo 2
- ✓ Cáncer infantil
- ✓ Síndrome de muerte súbita del lactante
- ✓ Otitis media (infecciones del oído)
- ✓ Infecciones de las vías respiratorias bajas
- ✓ Asma
- ✓ Dermatitis atópica (alergias en la piel)
- ✓ Enfermedades del corazón e hipertensión arterial
- ✓ Diarrea
- ✓ Enterocolitis necrosante en lactantes prematuros
- ✓ Cólicos y malestar estomacal
- ✓ Cambio en las bacterias del sistema digestivo del tracto gastrointestinal de su bebé
- ✓ Oclusión dental defectuosa

#### Si está amamantando, alimentar al bebé con biberón puede acarrear los siguientes riesgos:

- ✓ Reducir el suministro de leche maternal
- ✓ Cambiar la preferencia del bebé de succionar el pecho
- ✓ Reducir el deseo del bebé de ser amamantado

Si se alimentara a los lactantes de manera óptima (exclusivamente durante 6 meses y de manera continua durante 1 año o más), se salvarían 911 vidas de lactantes y se ahorrarían 13 mil millones de dólares anualmente.

Bartick M, Reinhold A. The Burden of Suboptimal Breastfeeding in the United States: A Pediatric Cost Analysis. (La carga de la lactancia materna subóptima en Estados Unidos: un análisis de costos pediátricos). *Pediatría* 125:5, 2010

### Para las madres

Puede resultar sorprendente que amamantar sea algo beneficioso para las madres de lactantes alimentados con leche materna. Mientras más tiempo amamanta la madre, mayores son los beneficios.

#### Mayor riesgo de lo siguiente:

- ✓ Cáncer de mama premenopáusico
- ✓ Cáncer de ovarios
- ✓ Obesidad
- ✓ Retención del peso adquirido durante el embarazo
- ✓ Diabetes tipo 2
- ✓ Infarto de miocardio (ataque cardíaco)
- ✓ Síndrome metabólico
- ✓ Osteoporosis
- ✓ Artritis reumatoide

Si se alimentara a los bebés con leche materna de manera óptima (exclusivamente durante 6 meses y de manera continua durante 1 año o más), esto supondría un ahorro de 14,4 mil millones de dólares en casos de muerte prematura, 733,7 millones de dólares en costos de cuidados directos y 126,1 millones de dólares en costos indirectos por solo 3 diagnósticos (cáncer de mama, infarto de miocardio e hipertensión) anualmente.

Bartick M. Mothers' costs of suboptimal breastfeeding: implications of the maternal disease cost analysis(Costos de la lactancia materna subóptima para las madres: análisis de las implicaciones de los costos de enfermedades maternas). *Breastfeed Med.* octubre del 2013; 8(5):448-9.

Además, existe el riesgo de que la leche maternizada esté contaminada o que no se preparen los ingredientes correctamente. Se han hecho varios llamados de atención a los fabricantes de leche maternizada en los últimos años.

**Los Centros para el Control y la Prevención de Enfermedades, la Academia Americana de Pediatría y la Organización Mundial de la Salud, así como otros grupos de profesionales implicados en la salud infantil, recomiendan la lactancia materna exclusiva durante los primeros seis meses y, luego, continuar durante uno o dos años con la introducción gradual de alimentos sólidos.**

## Bibliography for the Risks of Formula Feeding

- Agostoni C. Ghrelin, leptin and the neurometabolic axis of breastfed and formula-fed infants. *Acta Paediatr.* 2005;94:523–525.
- Akerblom HK, Virtanen SM, Ilonen J, et al. Dietary manipulation of beta cell autoimmunity in infants at increased risk of type 1 diabetes: a pilot study. *Diabetologia.* 2005;48:829–837.
- Alison S., The Risks of Not Breastfeeding for Mothers and Infants. *Rev Obstet Gynecol.* 2009.; 2(4): 222–231.
- American Academy of Family Physicians. Breastfeeding, family physicians supporting <http://www.aafp.org/online/en/home/policy/policies/b/breastfeedingpositionpaper.html>. Accessed 12/18/2015
- American Academy of Pediatrics, Committee on Nutrition. Hypoallergenic infant formulas. *Pediatrics.* 2000;106:346-349
- American Academy of Pediatrics Task Force on Sudden Infant Death Syndrome, authors. The changing concept of sudden infant death syndrome: diagnostic coding shifts, controversies regarding the sleeping environment, and new variables to consider in reducing risk. *Pediatrics.* 2005;116:1245–1255.
- American College of Obstetrics and Gynecology. Breastfeeding: maternal and infant aspects. ACOG Clinical Review. 2007.
- Arenz S, Rückerl R, Koletzko B, et al. Breastfeeding and childhood obesity-a systematic review. *Int J Obes Relat Metab Disord.* 2004.;28:1247–1256.
- Aydin S, Ozkan Y, Erman F, et al. Presence of obestatin in breast milk: relationship among obestatin, ghrelin, and leptin in lactating women. *Nutrition.* 2008;24:689–693.
- Bachrach VR, Schwarz E, Bachrach LR. Breastfeeding and the risk of hospitalization for respiratory disease in infancy: a meta-analysis. *Arch Pediatr Adolesc Med.* 2003;157:237–243.
- Bernier MO, Plu-Bureau G, Bossard N, et al. Breastfeeding and risk of breast cancer: a meta-analysis of published studies. *Hum Reprod Update.* 2000;6:374–386.
- Berry NJ, Gribble KD. Breast is no longer best: promoting normal infant feeding. *Matern Child Nutr.* 2008;4:74–79.
- Cantani A, Micera M. Neonatal cow milk sensitization in 143 case-reports: role of early exposure to cow's milk formula. *European Rev Medical Pharmacological Sciences.* 2005; 9:227-230
- Cattaneo A. The benefits of breastfeeding or the harm of formula feeding? *J Paediatr Child Health.* 2008 ;44:1–2.
- Centers for Disease Control and Prevention. Breastfeeding-related maternity practices at hospitals and birth centers—United States.2007.
- Chen A, Rogan WJ. Breastfeeding and the risk of postneonatal death in the United States. *Pediatrics.* 2004;113:e435–e439.
- Chien PF, Howie PW. Breast milk and the risk of opportunistic infection in infancy in industrialized and non-industrialized settings. *Adv Nutr Res.* 2001; 10:69–104.
- Chung M, Raman G, et al. Breastfeeding and maternal and infant health outcomes in developed countries. *Evid Rep Technol.* 2007;153:1–186.
- Cramer DW, Titus-Ernstoff L, McKolanis JR, et al. Conditions associated with antibodies against the tumor-associated antigen MUC1 and their relationship to risk for ovarian cancer. *Biomarkers Prev. Cancer Epidemiol.* 2005;14:1125–1131.
- Cregan MD, Mitoulas LR, Hartmann PE. Milk prolactin, feed volume and duration between feed in women breastfeeding their full-term infants over a 24 h period. *Exp Physiol.*2002;87:207–214.
- Danforth KN, Tworoger SS, Hecht JL, et al. Breastfeeding and risk of ovarian cancer in two prospective cohorts. *Cancer Causes Control.* 2007;18:517–523.
- Dewey KG, Cohen RJ, Brown KH, et al. Effects of exclusive breastfeeding for four versus six months on maternal nutritional status and infant motor development: results of two randomized trials in Honduras. *J Nutr.* 2001;131:262–267.

- DiGirolamo AM, Grummer-Strawn LM, Fein SB. Do perceived attitudes of physicians and hospital staff affect breastfeeding decisions? *Birth*. 2003;30:94–100.
- Drane DL, Logemann JA. A critical evaluation of the evidence on the association between type of infant feeding and cognitive development. *Paediatr Perinat Epidemiol*. 2000;14:349–356.
- Forchielli ML, Walker WA. The role of gut-associated lymphoid tissues and mucosal defence. *Br J Nutr*. 2005;93(suppl 1):S41–S48.
- Gdalevich M, Mimouni D, Mimouni M. Breast-feeding and the risk of bronchial asthma in childhood: a systematic review with meta-analysis of prospective studies. *J Pediatr*. 2001;139:261–266.
- Gdalevich M, Mimouni D, David M, et al. Breast-feeding and the onset of atopic dermatitis in childhood: a systematic review and meta-analysis of prospective studies. *J Am Acad Dermatol*. 2001;45:520–527.
- Gartner LM, Morton J, Lawrence RA, et al. Breastfeeding and the use of human milk. *Pediatrics*. 2005;115:496–506.
- Hamosh M. Bioactive factors in human milk. *Pediatr Clin North Am*. 2001;48:69–86.
- Harder T, Bergmann R, Kallischnigg G, et al. Duration of breastfeeding and risk of overweight: a meta-analysis. *Am J Epidemiol*. 2005;162:397–403.
- Holman RC, Stoll BJ, Curns AT, et al. Necrotising enterocolitis hospitalisations among neonates in the United States. *Paediatr Perinat Epidemiol*. 2006;20:498–506.
- Horta BL, Bahl R, Martínez JC, et al. Evidence on the long-term effects of breastfeeding: systematic review and meta-analyses. Geneva: *World Health Organization*. 2007. pp. 1–57.
- Indrio F, Ladisa G, Mautone A, et al. Effect of a fermented formula on thymus size and stool pH in healthy term infants. *Pediatr Res*. 2007;62:98–100.
- Jain A, Concato J, Leventhal JM. How good is the evidence linking breastfeeding and intelligence? *Pediatrics*. 2002;109:1044–1053.
- Kramer MS, Aboud F, Mironova E, et al. Breast-feeding and child cognitive development: new evidence from a large randomized trial. *Arch Gen Psychiatry*. 2008;65:578–584.
- Kramer MS, Chalmers B, Hodnett ED, et al. Promotion of Breastfeeding Intervention Trial (PROBIT): a randomized trial in the Republic of Belarus. *JAMA*. 2001;285:413–420.
- Kwan ML, Buffler PA, Abrams B, et al. Breast-feeding and the risk of childhood leukemia: a meta-analysis. *Public Health Re*. 2004;119:521–535.
- Lee SY, Kim MT, Kim SW, et al. Effect of lifetime lactation on breast cancer risk: a Korean women's cohort study. *Int J Cancer*. 2003;105:390–393.
- Li R, Rock VJ, Grummer-Strawn L. Changes in public attitudes toward breastfeeding in the United States, 1999–2003. *J Am Diet Assoc*. 2007;107:122–127.
- Lipworth L, Bailey LR, Trichopoulos D. History of breast-feeding in relation to breast cancer risk: a review of the epidemiologic literature. *J Natl Cancer Inst*. 2000;92:302–312.
- Lopes-Freire GM, Cárdenas AB, Suárez de Deza JE, Ustell-Torrent JM, Oliveira LB, Boj Quesada JR Jr. Exploring the association between feeding habits, non-nutritive sucking habits, and malocclusions in the deciduous dentition. *Prog Orthod*. 2015;16:1:43.
- Martin RM, Gunnell D, Smith GD. Breastfeeding in infancy and blood pressure in later life: systematic review and meta-analysis. *Am J Epidemiol*. 2005;161:15–26.
- McVea KL, Turner PD, Peppler DK. The role of breastfeeding in sudden infant death syndrome. *J Hum Lact*. 2000;16:13–20.
- Muraro A, Dreborg S, Halken S, et al. Dietary prevention of allergic diseases in infants and small children. Part III: Critical review of published peer-reviewed observational and interventional studies and final recommendations. *Pediatr Allergy Immuno*. 2004; 15:291-307
- Moore ER, Anderson GC, Bergman N. Early skin-to-skin contact for mothers and their healthy newborn infants. *Cochrane Database Syst Rev*. 2007;4 CD003519..
- Oddy WH, Peat JK. Breastfeeding, asthma, and atopic disease: an epidemiological review of the literature. *J HumLact*. 2003; 19:250-261
- Owen CG, Martin RM, Whincup PH, et al. Effect of infant feeding on the risk of obesity across the life course: a quantitative review of published evidence. *Pediatrics*. 2005.;115:1367–1377.

- Owen CG, Martin RM, Whincup PH, et al. Does breastfeeding influence risk of type 2 diabetes in later life? A quantitative analysis of published evidence. *Am J Clin Nutr.* 2006;84:1043–1054.
- Owen CG, Whincup PH, Gilg JA, et al. Effect of breast feeding in infancy on blood pressure in later life: systematic review and meta-analysis. *BMJ.* 2003;327:1189–1195.
- Owen CG, Whincup PH, Odoki K, et al. Infant feeding and blood cholesterol: a study in adolescents and a systematic review. *Pediatrics.* 2002;110:597–608.
- Pang WW, Hartmann PE. Initiation of human lactation: secretory differentiation and secretory activation. *J Mammary Gland Biol Neoplasia.* 2007;12:211–221.
- Penders J, Thijss C, Vink C, et al. Factors influencing the composition of the intestinal microbiota in early infancy. *Pediatrics.* 2006;118:511–521.
- Peres KG, Cascaes AM, Nascimento GG, Victora CG. Effect of breastfeeding on malocclusions: a systematic review and meta-analysis. *Acta Paediatr Suppl.* 2015 Dec;104:467:54-61.
- Ram KT, Bobby P, Hailpern SM, et al. Duration of lactation is associated with lower prevalence of the metabolic syndrome in midlife-SWAN, the study of women's health across the nation. *Am J Obstet Gynecol.* 2008;198:268.e1–268.e6.
- Simmer K, Patole S, Rao SC. Longchain polyunsaturated fatty acid supplementation in infants born at term. *Cochrane Database Syst Rev.* 2008;1 CD00037.
- Stuebe AM, Willett WC, Xue F, et al. Lactation and incidence of premenopausal breast cancer: a longitudinal study. *Arch Intern Med.* 2009;169:1364–1371.
- Stuebe AM, Rich-Edwards JW. The reset hypothesis: lactation and maternal metabolism. *Am J Perinatol.* 2009;26:81–88
- Stuebe AM, Rich-Edwards JW, Willett WC, et al. Duration of lactation and incidence of type 2 diabetes. *JAMA.* 2005;294:2601–2610.
- Stuebe AM, Michels KB, Willett WC, et al. Duration of lactation and incidence of myocardial infarction in middle to late adulthood. *Am J Obstet Gynecol.* 2009;200:138.e1–138.e8.
- Schwarz EB, Ray RM, Stuebe AM, et al. Duration of lactation and risk factors for maternal cardiovascular disease. *Obstet Gynecol.* 2009;113:974–982.
- Taveras EM, Li R, Grummer-Strawn L, et al. Mothers' and clinicians' perspectives on breastfeeding counseling during routine preventive visits. *Pediatrics.* 2004;113:e405–e411
- Tryggvadóttir L, Tulinius H, Eyfjord JE, et al. Breastfeeding and reduced risk of breast cancer in an Icelandic cohort study. *Am J Epidemiol.* 2001;154:37–42.
- Zeiger RS. Food allergen avoidance in the prevention of food allergy in infants and children. *Pediatrics.* 2003;111:1662–1671